

Solar Hand Crank Generator Specification Reference





Host Parameters	
Solar Panel Parameters	5.5V/330mA (1320mA)
Power Capacity	10000/20000mAh (Optional)
Solar Panel Power	Monocrystalline/2W (8W)
Hand Cranking Power	10V/4000mA
LED	1.8W
Input	TYPE-C: 5V/3A
	Micro: 5V, 2A
	Self-wired TYPE-C: 5V/3A
Output	TYPE-C: 5V/3A
	USB: 5V, 2.4A
	TYPE-C with cable, Apple phone: 5V/2A
Wireless Charger	5W
Material	ABS+TPU
Accessory	Main unit + manual + charging cable + compass clasp
Dimension	179*90*31mm (Main unit)
Unfolded Size	179*382*31mm
Folded Size	179*90*48mm
Net Weight	10000mAh: 630g; 20000mAh: 810g
Parameters of 3 Solar Panels	
Wattage	Monocrystalline: 6W (990mA)
Output	TYPE-C: 5V/2A
Unfolded Size	179*310*11mm
Folded Size	179*90*24mm



Host Parameters	
Solar Panel Parameters	5.5V/330mA (1650mA)
Power Capacity	10000/20000mAh (Optional)
Solar Panel Power	Monocrystalline/2W (10W)
Hand Cranking Power	10V/4000mA
LED	1.8W
Input	TYPE-C: 5V/3A
	Micro: 5V, 2A
	Self-wired TYPE-C: 5V/3A
Output	TYPE-C: 5V/3A
	USB: 5V, 2.4A
	TYPE-C with cable, Apple phone: 5V/2A
Wireless Charger	5W
Material	ABS+TPU
Accessory	Main unit + manual + charging cable + compass clasp
Dimension	179*90*31mm (Main unit)
Unfolded Size	179*482*31mm
Folded Size	179*90*52mm
Net Weight	10000mAh: 667g; 20000mAh: 848g
Parameters of 4 Solar Panels	
Wattage	Monocrystalline: 8W (1320mA)
Output	TYPE-C: 5V/2A
Unfolded Size	179*408*11mm
Folded Size	179*90*29mm



Host Parameters	
Solar Panel Parameters	5.5V/330mA (1980mA)
Power Capacity	10000/20000mAh (Optional)
Solar Panel Power	Monocrystalline/2W (12W)
Hand Cranking Power	10V/4000mA
LED	1.8W
Input	TYPE-C: 5V/3A
	Micro: 5V, 2A
	Self-wired TYPE-C: 5V/3A
Output	TYPE-C: 5V/3A
	USB: 5V, 2.4A
	TYPE-C with cable, Apple phone: 5V/2A
Wireless Charger	5W
Material	ABS+TPU
Accessory	Main unit + manual + charging cable + compass clasp
Dimension	179*90*31mm (Main unit)
Unfolded Size	179*580*31mm
Folded Size	179*90*56mm
Net Weight	10000mAh: 743g; 20000mAh: 925g
Parameters of 5 Solar Panels	
Wattage	Monocrystalline: 10W (1650mA)
Output	TYPE-C: 5V/2A
Unfolded Size	179*508*11mm
Folded Size	179*90*33mm



Host Parameters	
Solar Panel Parameters	5.5V/330mA (2310mA)
Power Capacity	10000/20000mAh (Optional)
Solar Panel Power	Monocrystalline/2W (14W)
Hand Cranking Power	10V/4000mA
LED	1.8W
Input	TYPE-C: 5V/3A
	Micro: 5V, 2A
	Self-wired TYPE-C: 5V/3A
Output	TYPE-C: 5V/3A
	USB: 5V, 2.4A
	TYPE-C with cable, Apple phone: 5V/2A
Wireless Charger	5W
Material	ABS+TPU
Accessory	Main unit + manual + charging cable + compass clasp
Dimension	179*90*31mm (Main unit)
Unfolded Size	179*681*31mm
Folded Size	179*90*63mm
Net Weight	10000mAh: 808g; 20000mAh: 985g
Parameters of 6 Solar Panels	
Wattage	Monocrystalline: 12W (1980mA)
Output	TYPE-C: 5V/2A
Unfolded Size	179*609*11mm
Folded Size	179*90*38mm